

Session I. CULTURE AND HISTORY

| | |
|---|----|
| The tea-things from the Tang crypt of Famen temple and tea culture of the Tang dynasty. | |
| Jinke Han (Famensi Museum, P.R.China) ----- | 1 |
| Tea culture in Britain, 1660-1800 | |
| Hilary Young (Victoria and Albert Museum, Great Britain) ----- | 4 |
| Research on the origin and evolution of the tea eating culture of ethnic minorities in the three-gorges area of China. | |
| Jiashun Gong (Southwest Agricultural Univ., P.R.China), Rongbo Xu (Wha Sha Teas Trading, Singapore), Dongmei Qi, Qinjin Liu (Southwest Agricultural Univ., P.R.China) ----- | 8 |
| On the origin of tea industry in China. | |
| Sheng Han (Famen Museum, P.R.China) ----- | 12 |
| Origin and development of Chinese tea culture. | |
| Dexian Dong (Huazhong Agricultural Univ., P.R.China), Yongming Zhou (Jiayu Agriculture Bureau, P.R.China) ----- | 13 |
| The development of the tea industry in the period of Wudaishiguo. | |
| Masaaki Mizuno (Homeikai, Japan) ----- | 15 |
| Tea in British culture, Circa 1660 to 1914 – When did tea become the national drink in Britain? – | |
| Tamao Ohira Kuwahara (Independent Researcher, Czech Republic) ----- | 18 |
| History of Turkish tea drinking habits. | |
| Yoshibumi Honda (Turkish Embassy, Japan) ----- | 22 |
| Cherish the memory of old tea roads. | |
| Jyh Hisen Tseng (China Times, Taiwan) ----- | 26 |
| Tea culture in eastern Asia. | |
| Yoichiro Nakamura (Folklore Society of Shizuoka Pref., Japan) ----- | 28 |
| The origin of black tea. | |
| Tadakazu Takeo (ITO-EN Co., Japan) ----- | 32 |
| The manufacturing and drinking arts in the Song dynasty. | |
| Shen Dongmei (Chinese Academy of Social Sciences, P.R.China) ----- | 35 |
| The relation between architecture and modernization of the tea industry in Shizuoka Prefecture. | |
| Satoru Nimura (Kougakuin Univ., Japan) ----- | 39 |
| Karamono for Sencha: Appropriating elite culture for the masses. | |
| Patricia J. Graham (Univ. of Kansas, USA) ----- | 44 |
| Some usages of "TA" or "DA" word meaning tea or some bitter vegetables in Tenpyo period (the middle 8th century). | |
| Takashige Terada (The Nara Pref. Agri. Exp. Station, Japan) ----- | 48 |
| O-CHA songs. | |
| Shigehiro Kodomari (Kanaya Tea Museum, Japan), Itiji Morizono (Independent Researcher, Japan), Malcolm W. Adams (American Journalist, USA) ----- | 50 |

Origin and present status of the tea-eating customs of the ethnic groups in the mountainous regions in southwestern China.

| | |
|--|----|
| <u>Qinjin Liu</u> (Southwest Agricultural Univ., P.R.China), Rongbo Xu (Wha Sha Teas Trading, Singapore), Jiashun Gong (Southwest Agricultural Univ., P.R.China) ----- | 53 |
| The spilit of tea – in Japanese tea ceremony – | |
| <u>Hakuun Yoshino</u> , Ako Yoshino (Nihon Sado Juku, Japan) ----- | 57 |
| Historical remains of China tea culture. | |
| <u>Guokun Yao</u> , Shengtian Wu, Maorong Li (China International Tea Cultural Institute, P.R.China) ----- | 61 |
| The woman merchant, Oura Kei (1884), who built the wealth of one generation by the exportation of green tea in Japan, and the green tea in that time. | |
| Ayumi Eguchi (Konomeen, Japan) ----- | 65 |
| Rapid development of Chinese tea culture. | |
| Feng Liu, <u>Qikun Cheng</u> (China International Tea Culture Institute, P.R.China) ----- | 68 |
| Study on tea culture of snowy Murakami in Japan. | |
| Chigusa Tateyama (Niigata Women's College, Japan) ----- | 72 |
| The art of Yunnan pure tea. | |
| Di Liu (Jin Yu Xuan Tea House, P.R.China) ----- | 76 |
| Introducing three-course tea culture, promoting Dali tourism. | |
| Xiaodong Ji (Dali Changshan Gantong Tourist Cable Car Inc., P.R.China) ----- | 78 |
| China tea cafes facing for new century. | |
| <u>Haogeng Ruan</u> , Zuwen Wang, Liying Zhang (China International Tea Culture Institute, P.R.China) ----- | 83 |
| The way of serving “Gong-fu Cha” and its cultural background. | |
| Meimao Lin (Aich Univ., Japan) ----- | 89 |
| The home of tea and the rise of tea culture. | |
| Satoru Matsushita (Homeikai, Japan) ----- | 93 |
| Cultural history of tea drinking in the West. | |
| Akiko Takiguchi (Tokyo Univ. of Foreign Studies, Japan) ----- | 93 |
| A study of the tea used 170 years ago collected by Philipp Franz Siebold. | |
| Isao Kumakura (National Museum of Ethnology, Japan) ----- | 94 |

[Joint Symposium “Origin of Tea Plant”]

Indigenous wild tea *Camellias* in China.

| | |
|---|----|
| <u>Fulian Yu</u> , Liang Chen (Tea Research Institute, CAAS, P.R.China) ----- | J1 |
|---|----|

The origin of the tea plant.

Minoru Hashimoto (Meijo Univ., Japan) ----- J5

Analysis of differentiation of teas uses DNA markers in evergreen forest.

Miyuki Kato (Kagawa Univ., Japan) ----- J8

Analysis of the differentiation of Japanese green tea cultivars using DNA markers.

Satoru Matsumoto (National Institute of Vegetable and Tea Science, Japan) ----- J13

Summarized remarks on the origin of Japanese tea by the genetic resources study in Eastern Asia and Japan.

Satoshi Yamaguchi (Ehime Univ., Japan) ----- J17

Session II. PRODUCTION

Recent advances in tea biotechnology and future prospects.

Lok Man S. Palni (G.B.Pant Institute of Himalayan Environment & Development, India) ----- 1

Development of catechin production process by means of tea cell culture.

Naomi Shibasaki-Kitakawa, Junna Takeishi, Toshikuni Yonemoto (Tohoku Univ., Japan) 5

Molecular markers – New tools for an old science – The case of tea.

Francis N. Wachira (Tea Research Foundation of Kenya, Kenya) ----- 9

Relationship between tea breeding and genetic analysis by DNA markers.

Junichi Tanaka (National Institute of Vegetable and Tea Science, Japan) ----- 13

β -Primeverosidase : A unique diglycosidase concerned with the floral aroma formation during tea manufacturing.

Masaharu Mizutani, Hidemitsu Nakanishi, Jun-ichi Ema, Etsuko Noguchi, Seung-Jin Ma, Kanzo Sakata (Kyoto Univ., Japan) ----- 15

Biochemistry and molecular biology in caffeine biosynthesis --- Molecular cloning and gene expression of caffeine synthase.

Misako Kato (Ochanomizu Univ., Japan) ----- 21

Photosynthesis and partitioning of assimilates in relation to productivity in tea.

Raj Kumar, R. (UPASI Tea Research Foundation, India) ----- 25

Morphological classification and phylogenetic evolution of section *Thea* in the genus *Camellia*.

Liang Chen (Chinese Academy of Agricultural Science, Zhejiang Univ., P.R.China), Fulian Yu (Chinese Academy of Agricultural Science, P.R.China), Luhuan Lou (Zhejiang Forestry College, P.R.China), Qiqing Tong (Zhejiang Univ., P.R.China) ----- 29

Study on the comparative morphology of pollens between Chinese Mt.Tiantai and Korean Mt.Jiri tea plants.

Eunkyung Lee (Tea Experiment Station, Korea), Yaoping Luo, Qiqing Tong (Zhejiang Univ., P.R.China) ----- 33

Application of plant canopy analyzer for mature tea (*Camellia sinensis* (L.) O. Kuntze) bush.

Takayuki Nakano (Shizuoka Chuen Agriculture & Forestry Office, Japan) ----- 37

Screening for qualitative and quantitative status of green tea in ten clonal agro-types cultured at BTRISS, ODAHLEA, Bangladesh.

Muhammad A. M. Chowdhury, Kazi M. M. Alam (Univ. of Chittagong, Bangladesh) ----- 41

Modeling development of leaf initial numbers in tea plants after skiffing.

Hide Omae, Yoshiyuki Takeda (National Institute of Vegetable and Tea Science, Japan) ---- 46

Efficient application of tissue culture technique to high expression of useful physiological functions of tea.

Youichi Aoshima (Shizuoka Agricultural Experiment Station, Japan), Masumi Takemoto (Univ. of Shizuoka, Japan) ----- 50

The construction of BT gene expression vector and its transformation in tea plant (*Camellia sinensis* L.)

Shan Wu, Yurong Liang, Yingying Luo, Jianliang Lu (Zhejiang Univ., P.R.China) ----- 54

| | |
|---|-----|
| Molecular cloning and sequencing of a <i>Camellia sinensis</i> cDNA encoding S-adenosylmethionine synthetase. | |
| Yuerong Liang (Zhejiang Univ., P.R.China), Junichi Tanaka, Yoshiyuki Takeda (National Institute of Vegetable and Tea Science, Japan) ----- | 58 |
| Isolation of wound/pathogen-inducible cDNAs from tea by mRNA differential display. | |
| Katsuyuki Yoshida (National Institute of Vegetable and Tea Science, Japan), Tomoo Homma (Tokyo Medical and Dental Univ., Japan) ----- | 62 |
| Genome analysis and isozyme studies for developing molecular markers associated with drought tolerance in tea plant. | |
| Rajan K Mishra, Swati Sen-Mandi (Bose Institute, India) ----- | 66 |
| Development and use of cleaved amplified polymorphic sequence (CAPS) markers in tea. | |
| Shiv Shankhar Kaundun, Satoru Matsumoto (National Institute of Vegetable and Tea Science, Japan) ----- | 70 |
| Estimation of genetic relatedness of tea (<i>Camellia sinensis</i> L.) clones in Sri Lanka using isozyme polymorphisms and RAPD markers. | |
| Mewan Kooragodage, Anudini Liyanage, Kumudini Gunasekera (Tea Research Institute of Sri Lanka, Sri Lanka), Everard Jayamanne, Ursula Fernando (Coconut Research Institute of Sri Lanka, Sri Lanka), Eric Karunanayake (Univ. of Colombo, Sri Lanka) ----- | 74 |
| Soil versus foliar application in the correction of magnesium deficiency in tea plants. | |
| Charles R. Obatolu (Cocoa Research Institute of Nigeria, Nigeria) ----- | 78 |
| Evaluation of three entomopathogenic fungi for the control of red spider mites. | |
| Muraleedharan, N. (UPASI Tea Research Foundation, India) ----- | 82 |
| Effect of the green lacewing, <i>Mallada basalis</i> (Walker) on the spider mites, <i>Oligonychus coffeae</i> Nietner and <i>Tetranychus kanzawai</i> Kishida in tea plantation. | |
| Suh-Neu Hsiao (Taiwan Tea Experiment Station, Taiwan) ----- | 86 |
| Abundance and population of <i>Acaphylla theavagrans</i> Kadono (Acari: Eriophyidae) in some varieties of tea plants and a report on its new predator (<i>Amblyseius Womersleyi</i> Schicha). | |
| Mohd. Mainul Haque (Rajshahi Univ., Bangladesh), Mitsuyoshi Takeda, Yasushi Sato, Yukio Ando (National Institute of Vegetable and Tea Science, Japan) ----- | 90 |
| Chemical and biochemical basis of the resistance and susceptibility of Sri Lankan tea cultivars to blister blight leaf disease (<i>Exobasidium vexans</i>) | |
| Nimal Punyasiri, Sarath Abeysinghe (The Tea Research Institute of Sri Lanka, Sri Lanka), Vijay Kumar (Univ. of Peradeniya, Sri Lanka) ----- | 94 |
| Effects of agitation on tea flush during withering process of Paochong tea. | |
| Jyh-Shyan Tsay (Wen-Shan Substation Taiwan Tea Experiment Station, Taiwan), Wei-Chin Chang (Academia Sinica, Taiwan) ----- | 98 |
| Development and improvement of refining machine for stripe-shaped Paochung tea. | |
| Teng-Feng Huang, Chin-Liou Lee (Taiwan Tea Experiment Station, Taiwan) ----- | 101 |
| Optimum fermenting factors in the formation of theaflavins from crude catechin in vitro model system and their significance in storing. | |
| Muhammad Alamgir Choudhury (Bangladesh Tea Research Institute, Bangladesh) ----- | 105 |

| | |
|---|-----|
| Development of a simple preparation method of tea-seed saponins and investigation of their physiological activities. | |
| <u>Katsunori Kohata</u> (National Institute of Vegetable and Tea Science, Japan), Yuji Yamauchi (Osaka Univ., Japan), Tomomi Ujihara, Hideki Horie (National Institute of Vegetable and Tea Science, Japan) ----- | 109 |
| Histochemical localisation and a new and rapid spectrophotometric method for quantitative estimation of caffeine in teas of Darjeeling district, India. | |
| Prabhat Kumar Basu (North Bengal Univ., India) ----- | 113 |
| Evaluating (+)- and (-)- dihydrobovalide in tea flavor. | |
| <u>Michiko Kawakami</u> (Ibaraki Christian Univ., Japan), Tadashi Ii, Nobuhiko Ito (Soda Aromatic Company, Ltd., Japan), Yuko Tadokoro, Akio Kobayashi (Ibaraki Christian Univ., Japan) ----- | 116 |
| Substrate specificity of β-primeverosidase, a key enzyme in aroma formation during oolong tea and black tea manufacturing. | |
| Seung-Jin Ma, Masaharu Mizutani, Jun Hiratake (Kyoto Univ., Japan), Kentaro Hayashi, Kensuke Yagi, Naoharu Watanabe (Shizuoka Univ., Japan), <u>Kanzo Sakata</u> (Kyoto Univ., Japan)----- | 120 |
| Agrobacterium tumefaciens-mediated transformation tea embryogenic callus. | |
| <u>Michiyo Kato</u> (Numazu College of Technology, Japan), Misako Kato (Ochanomizu Univ., Japan), Masao Watanabe, Akio Kato (Yamaguchi Univ., Japan) ----- | 125 |
| Diversity of catechin synthesis genes in green tea cultivars. | |
| Jong-In, Park, Bong Soo Kim, <u>Ill-Sup, Nou</u> (Sunchon National Univ., Korea) ----- | 129 |
| Efficient rooting and biological hardening of tissue culture raised tea (<i>Camellia sinensis</i> (L.) O. Kuntze) plants. | |
| <u>Niladri Bag</u> , Anil Kumar, Shyamal K. Nandi, Anita Pandey, Lok Man S. Palni (G.B.Pant Institute of Himalayan Environment and Development, India) ----- | 132 |
| In vitro assessment of tea (<i>Camellia sinensis</i>) explant types to vegetative propagation potentials in Nigeria. | |
| <u>Edward B. Esan</u> , C. J. Bright-Agindotan, S. S. Omolaja (Cocoa Research Institute of Nigeria, Nigeria) ----- | 136 |
| Evaluation and genetic analysis of the resistance to tea gray blight in tea genetic resources in Japan. | |
| Yoshiyuki Takeda (National Institute of Vegetable and Tea Science, Japan) ----- | 140 |
| A new cultivar “Tsuyuhikari” for green tea. | |
| <u>Hiroshi Nishikawa</u> , Yukikazu Kuranuki (Shizuoka Tea Experiment Station, Japan), Yoriyuki Nakamura (Shizuoka Pref. Government, Japan) ----- | 144 |
| Growth promotion of tea trees by putting bamboo charcoal in soil. | |
| Takehiko Hoshi (Tokai Univ., Japan) ----- | 147 |
| Simulation of the first tea crop bud growth based on the temperature response function. | |
| Naomi Mizuno (National Institute of Vegetable and Tea Science, Japan) ----- | 151 |
| Effect of subsoil improvement at opening of new tea field by mixing tillage using a rotor-bucket. | |
| Shoichi Goto (Shizuoka Tea Experiment Station, Japan) ----- | 155 |

| | |
|--|-----|
| Development of transplanter for tea young plants in paperpots. | |
| <u>Tsutomu Oyaizu</u> , Atsushi Yamamoto, Tetsuya Oishi(Shizuoka Tea Experiment Station, Japan), Takashi Fukutaka (Kubota Co., Ltd., Japan), Hirakazu Nakafuji (Kubota Agri Tokyo Co., Ltd., Japan) ----- | 159 |
| Varietal differences of chemical components and hardening speed of new shoots in tea season of first crop. | |
| Atsushi Nesumi (National Institute of Vegetable and Tea Science, Japan) ----- | 162 |
| Growth and yield sensing system for precision agriculture in tea cultivation. | |
| <u>Daisuke Miyama</u> , Masahiro Miyazaki, Takuya Araki (National Institute of Vegetable and Tea Science, Japan) ----- | 166 |
| Morphological and physiological characteristics of Korean wild tea populations. | |
| <u>Namiko Ikeda</u> (National Institute of Vegetable and Tea Science, Japan), Young-Goo Park (Kyungpook National Univ., Korea) ----- | 170 |
| Morphological difference of woody root in Japanese tea varieties. | |
| Kiyoshi Matsuo (National Institute of Vegetable and Tea Science, Japan) ----- | 174 |
| The development of tea industry calls for ecological tea gardens. | |
| Shao-Jun Luo (Hangzhou Tea Research Institute, P.R.China), Yi Lu (Zhejiang Univ., P.R.China) ----- | 178 |
| Improvement of soil physical properties in the large mechanization tea field. | |
| <u>Noritomo Nakamura</u> , Kouta Osako, Mituaki Karasuyama (Kagoshima Tea Experiment Station, Japan) ----- | 181 |
| Survey method for nitrous oxide emission from tea fields. | |
| Noriko Kobayashi (Univ. of Shizuoka, Japan) ----- | 185 |
| Nitrogen leaching volume based on soil property and fertilization method in Jeju Island's tea gardens. | |
| <u>Young-gul Kim</u> , Hong-seok Ryu, Jin-ho Lee (Jang Won Ind., Korea) ----- | 187 |
| Effects of nitrogenous fertilizers on the chemical constituents of fresh shoots of tea plants (<i>Camellia sinensis</i> L.) | |
| Toyomasa Anan (National Institute of Vegetable and Tea Science, Japan) ----- | 191 |
| Effect of the time of nitrogen fertilizer application on the utilization of amino acids and amides in tea new shoots. | |
| Ikuo Watanabe (National Institute of Vegetable and Tea Science , Japan) ----- | 195 |
| Effect of liquid fertilizer application under the canopy of Tencha tea garden. | |
| <u>Masaki Tsuji</u> , Tadataka Kinoshita (Aichi-ken Agricultural Research Center, Japan) ----- | 198 |
| Influences of different nitrogen levels on the yield and nitrogen content of new shoots in the fertigation method under the canopy. | |
| <u>Shigekazu Nakamura</u> (Shizuoka Tea Experiment Station, Japan), Mitsuru Ota (Shizuoka Pref. Government, Japan), Hiroshi Takano (Shizuoka Tea Experiment Station, Japan) ----- | 202 |
| Biological nitrate removal by sulphur and limestone denitrification. | |
| <u>Toshiaki Miyanaga</u> , Yasuhiro Hirato (Nippon Steel Chemical Co., Ltd., Japan), Yasuhide Mochizuki (Shizuoka Tea Experiment Station, Japan), Kiyoshi Matsuo (National Institute of Vegetable and Tea Science, Japan) ----- | 206 |

| | |
|---|-----|
| Transition leaching rate of nitrogen for decreased fertilizer in tea field. | |
| Toshiyuki Kaji (Kagoshima Tea Experiment Station, Japan) ----- | 210 |
| Studies on <i>Beauveria bassiana</i> strain 871 and its use against <i>Mylocrinus aurolineatus</i>. | |
| <u>Guangyuan Wu</u> , Mingsen Zeng, Qingsen Wang (Fujian Academy of Agricultural Science, P.R.China) ----- | 213 |
| Tolerable injury level and control threshold of the anthracnose, <i>Colletotrichum theae-sinensis</i> Miyake et al., on tea crop. | |
| <u>Akihito Ozawa</u> , Takuya Nishijima (Shizuoka Tea Experiment Station, Japan) ----- | 217 |
| Predicting the optimum timing of insecticide application to control the first generation larvae of <i>Pseudaulacaspis pentagona</i> using the day-degree accumulation. | |
| Mitsuyoshi Takeda (National Institute of Vegetable and Tea Science, Japan) ----- | 221 |
| Integrated management of tea tortricids in Japan. | |
| Yasushi Sato (National Institute of Vegetable and Tea Science, Japan) ----- | 225 |
| Predation of two species of spiders, <i>Trachelas japonica</i> Bos. et Str and <i>Philodromus subaureolus</i> Bos. et Str on tea green leafhopper, <i>Empoasca onukii</i> Matsuda in tea fields. | |
| Yukio Kosugi (Shizuoka Tea Experiment Station, Japan) ----- | 229 |
| The fertility difference of the tea rust mite, <i>Acaphylla theavagrans</i> on tea cultivars. | |
| Takashi Mizuta (Miyazaki Pref. Agricultural Experiment Station, Japan) ----- | 233 |
| The curative effect of DMI fungicides against tea anthracnose. | |
| Takuya Nishijima (Shizuoka Pref. Agriculture and Forestry College, Japan) ----- | 237 |
| Influence to the tasty compounds of the tea by the difference with nitrogen fertilizer application quantity and over the fresh leaf characteristic of it. | |
| <u>Takaya Watase</u> (Shizuoka Tea Experiment Station, Japan), Yasutoshi Sada (Shizuoka Industrial Research Institute, Japan) ----- | 241 |
| Factors affecting the abundance of white peach scale (<i>Pseudaulacaspis pentagona</i>) in tea fields of Japan. | |
| Sakae Kubota (Shizuoka Tea Experiment Station, Japan) ----- | 244 |
| Development of an insect granulosis virus formation BCGV-01 for controlling both the oriental tea tortrix, <i>Homona magnanima</i>, and the smaller tea tortrix, <i>Adoxophyes honmai</i>, in Japan. | |
| <u>Shoji Asano</u> , Katsuhisa Fukunaga, Akira Takai (BC Lab., Japan) ----- | 248 |
| Development of automatic control system for tea processing. | |
| <u>Hitoshi Yoshitomi</u> , Yuichi Yamaguchi, Yusuke Sawai (National Institute of Vegetable and Tea Science, Japan) ----- | 252 |
| Effect of different humid conditions of making green on aromatic constituents of oolong tea. | |
| <u>Fangzhou Zhang</u> , Rongbing Chen, Yuanqin Li, Fuying Jiang (Fujian Academy of Agricultural Sciences, P.R.China) ----- | 256 |
| Methods of manufacture of Japanese tea and the newly developed automatic leaf-roasting device. | |
| <u>Shouhei Eguchi</u> , Ayumi Eguchi (Japan) ----- | 260 |
| Optimization of parameters of rolling process for fired green tea. | |
| <u>Huarong Tong</u> , Yao Liu (Southwest Agricultural Univ., P.R.China), Wei Miao (Hualin Tea Industry Development Ltd. Co., P.R.China) ----- | 264 |

| | |
|--|-----|
| Analysis of catechins and theaflavins in green, paochong, oolong and black teas by HPLC. | |
| <u>Ryoyasu Saijo</u> , Miyuki Kato (Kagawa Univ., Japan) Yoshiyuki Takeda (National Institute of Vegetable and Tea Science, Japan) ----- | 268 |
| An evaluation method of color of crude tea. | |
| Masaki Hamasaki (Kagoshima Tea Experiment Station, Japan) ----- | 272 |
| Production of black tea pigments, theaflavins, from green tea by treatment with various fruits. | |
| <u>Takashi Tanaka</u> , Kyoko Inoue, Chie Mine, Yayoi Betsumiya, Isao Kouno (Nagasaki Univ., Japan) ----- | 276 |
| Purification of catechins using isolated soybean protein or tempe protein. | |
| <u>Kanji Ishimaru</u> , Kazuyuki Ushijima, Takahi Nozawa, Norie Tanaka (Saga Univ., Japan), Gen-ichiro Nonaka (Usaien Pharmaceutical Company, Japan) ----- | 280 |
| Chlorophyll and carotenoid analysis of tea by high-performance liquid chromatography and its application for quality control. | |
| <u>Yasuyo Suzuki</u> , Yuzo Shioi (Shizuoka Univ., Japan) ----- | 284 |
| Chemical analyses of dark tea: C-13 NMR and HPLC analyses and isolation of a new constituent. | |
| <u>Wenfei Guo</u> , Di Wu (Zhejiang Univ., P.R.China), Kanzo Sakata (Kyoto Univ., Japan), Shajun Luo, Xiufang Yang (Hangzhou Tea Research Institute, P.R.China) ----- | 288 |
| Kamairi-cha, traditional Japanese green tea. | |
| <u>Kazuhiko Takashima</u> , Susumu Fujita (Miyazaki Pref. Agricultural Experiment Station, Japan), Hideki Horie, Katsunori Kohata (National Institute of Vegetable and Tea Science, Japan) ---- | 292 |
| NMR analytical approach to clarify the molecular mechanisms of the antioxidative and radical-scavenging activities of tea catechins using 1,1-diphenyl-2-picrylhydrazyl. | |
| <u>Yusuke Sawai</u> , Yuichi Yamaguchi, Hitoshi Yoshitomi (National Institute of Vegetable and Tea Science, Japan), Jae-Hak Moon, Junji Terao (The Univ. of Tokushima, Japan), Kanzo Sakata (Kyoto Univ., Japan) ----- | 296 |
| Aluminum accumulation in the plants of genus <i>Camellia</i>. | |
| <u>Hiromi Yokota</u> , Yosuke Yamagishi, Shinpei Hanada, Akio Morita (Shizuoka Univ., Japan), Yoriyuki Nakamura (Shizuoka Tea Experiment Station, Japan), Shigeki Konishi (Fukujuen CHA Research Center, Japan) ----- | 300 |
| Are catechins localized in vacuoles in tea leaves? | |
| <u>Yuji Moriyasu</u> , Takao Suzuki, Yasuhiro Miyoshi (Univ. of Shizuoka, Japan) ----- | 303 |
| Studies on the relationship between six metal elements and green tea color. | |
| <u>Zhengli Gong</u> (Southwest Agricultural Univ., P.R.China), Jingqiang Zhang (Hefei Industry Univ., P.R.China), Heling Wu (Southwest Agricultural Univ., P.R.China) ----- | 305 |
| Exudation of aluminium-chelating substances from tea (<i>Camellia sinensis</i> L.) roots. | |
| <u>Yohsuke Fujii</u> , Akio Morita, Hiromi Yokota (Shizuoka Univ., Japan) ----- | 309 |
| Variations in biochemical constituents of south Indian clonal teas. | |
| <u>Marimuthu, S.</u> (R & D Centre, Parry Agro Industries Ltd., India), Raj Kumar, R. (UPASI Tea Research Foundation, India) ----- | 312 |
| <i>In vivo</i> and <i>in vitro</i> activities of nitrate reductase of tea plant (<i>Camellia sinensis</i> L.). | |
| Akio Morita, <u>Shinji Hirukawa</u> (Shizuoka Univ., Japan), Junichi Tanaka (National Institute of Vegetables and Tea Science, Japan) ----- | 316 |

| | |
|--|-----|
| Flavonoid compounds in Laoying tea (<i>Litsea coreana</i> Levl. var. <i>Lanuginosa</i> <Migo> Yang et. P.H. Huang) | |
| <u>Jian Yang</u> (Southwest Agricultural Univ., P.R.China), Jinping Xie ("LONGDU XIANGMING" Co-op LTD., P.R.China), Huang Youyi (Central China Agricultural Univ., P.R.China) ----- | 319 |
| Tea leaf nutrient contents as a criterion for commercial tea clone selection. | |
| Rotimi Charles Obatolu, <u>Rotimi Rufus Ipinmoroti</u> (Cocoa Research Institute of Nigeria, Nigeria) ----- | 323 |
| Variations of glycosidic tea aroma precursors, volatile, β-D-glucosidase activity and respiration intensity during green tea withering. | |
| Xiaochun Wan, Zhengzhu Zhang, <u>Tao Xia</u> (Anhui Agricultural Univ., P.R.China) ----- | 327 |
| Effect of aluminum stress on superoxide dismutase in tea, wheat and barley. | |
| <u>Jianliang Lu</u> , Yuerong Liang, Ying Wu, Shan Wu, Lingyun Zhang (Zhejiang Univ., P.R.China) ----- | 331 |
| Research on tea growing in Hawaii | |
| <u>Dwight Sato</u> , (College of trop., Agriculture & Human Res., USA), Francis Zee (USDA Agriculture Research Service, USA), Wen Hisung Ko (College of trop, USA), Lyle Wong (Itawaii Department of Agriculture, USA) ----- | 335 |
| Control of tea insect pests by pheromones and possible resistance. | |
| Kinya Ogawa, <u>Fumiaki Mochizuki</u> , Takehiko Fukumoto (Shin-Etsu Chem. Co. Ltd., Japan) ----- | 338 |
| Sustainable agriculture of green tea in Korea. | |
| <u>B.G. Park</u> , H.J. Lee (Seoul Nat'l Univ., Korea) ----- | 341 |
| A new technique to analyze free and glycosidically bound aroma compounds in green teas using an enzyme and solid phase microextraction method. | |
| <u>Sung-Kwon Ryu</u> , Jin-Chul Roh (Kyung Hee Univ., Korea), Hyun-Jeong Kim, Sung So (Pacific R & D Center, Korea), Seung Kook Park (Kyung Hee Univ., Korea) ----- | 345 |
| Changes in lipoxxygenase activity and volatile compounds during early growing season. | |
| <u>Hyun-Jeong Kim</u> , Sung So (Pacific R & D Center, Korea), Sung-Kwon Ryu, Jin-Cheol Roh, Seung Kook Park (Kyung Hee Univ., Korea) ----- | 345 |

[Joint Symposium "Origin of Tea Plant"]

Indigenous wild tea *Camellias* in China.

| | |
|--|----|
| <u>Fulian Yu</u> , Liang Chen (Tea Research Institute, Chinese Academy of Agricultural Science, P.R.China) ----- | J1 |
|--|----|

The origin of the tea plant.

| | |
|---|----|
| Minoru Hashimoto (Meijo Univ., Japan) ----- | J5 |
|---|----|

Analysis of differentiation of teas uses DNA markers in evergreen forest.

Miyuki Kato (Kagawa Univ., Japan) ----- J8

Analysis of the differentiation of Japanese green tea cultivars using DNA markers.

Satoru Matsumoto (National Institute of Vegetable and Tea Science, Japan) ----- J13

Summarized remarks on the origin of Japanese tea by the genetic resources study in Eastern Asia and Japan.

Satoshi Yamaguchi (Ehime Univ., Japan) ----- J17

Session III. HEALTH BENEFITS

Antibiotic resistance preventive properties of green tea catechins.

Lester Mitscher, Segaran Pillai, Christine Pillai, Delbert Shankel (Kansas Univ., USA)--- 1

Induction of UDP-Glucuronosyltransferase (UGT1A1) by tea polyphenols and flavonoids in HEPG2 and LLC-PK1 cells.

Junko Sugatani, Kasumi Yamakawa, Eri Tonda, Shinichi Nishitani, Ikuo Abe, Hiroshi Noguchi, Masao Miwa (Univ. of Shizuoka, Japan) ----- 5

Effect of theanine on neurotransmitters and brain functions in rats.

Hidehiko Yokogoshi (Univ. of Shizuoka, Japan) ----- 9

Inhibitory effect of green tea on the autoimmune disease.

Kazutoshi Sayama (Shizuoka Univ., Japan), Itaro Oguni (Univ. of Shizuoka, Japan) ----- 13

A mouse model of AIDS(MAIDS) for testing AZT in a combination therapy with tea polyphenols.

Modiegip Selematsela, Rolf Becker (Univ. of the North, South Africa), Anabella Gaspar, Zeno Apostolides (Univ. of Pretoria, South Africa) ----- 18

Protective effects of green tea polyphenols against renal disease.

Takako Yokozawa, Takako Nakagawa (Toyama Medical and Pharmaceutical Univ., Japan), Seiji Shu, Lekh Raj Juneja (Taiyo Kagaku Co., Ltd., Japan) ----- 22

Ameliorative effects of tea catechins on stroke in transient mid cerebral artery occluded rats (MCAo-Rats).

Motohisa Suzuki, Masaki Tabuchi (Univ. of Shizuoka, Japan), Keizo Umegaki (National Institute of Nutrition and Health, Japan), Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan), Isao Tomita (Shizuoka Sangyo Univ., Japan), Masahiko Ikeda, Takako Tomita (Univ. of Shizuoka, Japan)----- 26

Bioavailability and biological activity of tea polyphenols.

Chung S. Yang, Hong Lu, Xiaofeng Meng, Jie Liao, Guang-yu yang, Mao-Jung Lee, Pius Maliakal, Chuan Li, (The State Univ. of New Jersey, USA) ----- 30

Absorption and metabolism of tea catechin in humans.

Teruo Miyazawa (Tohoku Univ., Japan) ----- 34

Metabolism of epicatechin 3-O-gallate and epigallocatechin 3-O-gallate by human intestinal flora.

Masao Hattori (Toyama Medical and Pharmaceutical Univ., Japan) ----- 38

Metabolic fate of [4-³ H] epigallocatechin gallate in rats.

Toshiyuki Kohri (Mitsui Norin Co., Ltd., Japan), Masayuki Suzuki, Fumio Nanjo, Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan) ----- 42

Metabolic fate of theanine after its oral administration to rats.

Tomonori Unno, Takami Kakuda (Ito en Ltd., Japan), Takashi Hayakawa, Haruhito Tsuge (Gifu Univ., Japan) ----- 46

(-)-Epicatechin inhibits intestinal drug metabolism to increase drug absorption: Knowledge-based prediction of (-)-epicatechin effect on drug absorption.

Takashi Mizuma, Noriko Ichikawa, Noriko Kojima, Shoji Awazu (Tokyo Univ. of Pharmacy and Life Science, Japan) ----- 49

| | |
|--|-----|
| Antioxidative activities of Korean tea and tea materials by a simple and fast method. | |
| <u>Shin-Kyo Chung</u> , Young-Chan Kim (Kyungpook National Univ., Korea), Sang-Lyong Oh (Sangju National Univ., Korea), Kunihiwa Iwai, Hajime Matsue (Aomori Advanced Industrial Technology Center, Japan) ----- | 53 |
| Protective effect of tea catechins on lipid peroxidation in intestinal mucosa. | |
| <u>Junji Terao</u> , Sayuri Miyamoto, Kaeko Murota, Jae-Hak Moon (The Univ. of Tokushima, Japan), Masako Yamamoto (Tokushima Bunri Univ., Japan) ----- | 56 |
| Green tea extracts suppress oxidative stress induced by dietary lipid peroxidation products. | |
| <u>Hitoshi Ashida</u> , Aki Kitagawa, Itsuko Fukuda, Kazuki Kanazawa, Gen-ichi Danno (Kobe Univ., Japan) ----- | 60 |
| Inhibitory effect of tea and flavonoids on the formation of advanced glycation end products. | |
| <u>Naohide Kinae</u> , Yuka Unno, Junko Kawasaki, Shoji Masumori, Shunichi Masuda (Univ. of Shizuoka, Japan) ----- | 64 |
| Assessment of functional tea in human using oxidative stress profile technique. | |
| Hiroto Ochi, Miku Hashimoto, <u>Jun Kurashige</u> (Japan Institute for the Control of Aging, Japan) ----- | 68 |
| Application of green tea catechins as formaldehyde scavengers. | |
| Hiroshi Hojo, <u>Katsuhiko Fukai</u> , Fumio Nanjo (Tokyo Food Techno Co., Ltd., Japan) --- | 72 |
| Green tea: A storehouse of exciting nutraceuticals. | |
| Lekh R. Juneja (Taiyo Kagaku Co., Ltd., Japan) ----- | 76 |
| Industrial application of tea extracts. | |
| Fumihisa Yayabe (ITO EN Ltd., Japan) ----- | 80 |
| The role of tea flavonoids in cardiovascular health. | |
| Douglas A. Balentine (Unilever Health Institute, The Netherlands) ----- | 84 |
| Tea and prevention of heart disease and cancer. | |
| John H. Weisburger (American Health Foundation, USA) ----- | 90 |
| Potential compounds in tea for the prevention of lung cancer. | |
| Fung-Lung Chung (American Health Foundation, USA) ----- | 95 |
| Chemoprevention for FAP with green tea polyphenols. | |
| Tetsuro Yamane (Matsushita Memorial Hospital, Japan) ----- | 99 |
| The pharmacokinetics of EGCG: Preclinical and clinical studies. | |
| <u>James A. Crowell</u> (National Cancer Institute, USA), Robert R. Swezey (SRI Int., USA), Sherry Chow (Univ. of Arizona, USA), Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan) ----- | 103 |
| Signal transduction in anticancer activity of green tea components. | |
| <u>Koichi Saeki</u> , Norihiko Kobayashi, Kumiko Saeki (International Medical Center of Japan, Japan), Mamoru Isemura (Univ. of Shizuoka, Japan), Akira Yuo (International Medical Center of Japan, Japan) ----- | 106 |
| Prostate cancer chemoprevention by green tea. | |
| <u>Sanjay Gupta</u> , Kedar Hastak, Nihal Ahmad (Case Western Reserve Univ., USA), Jonathan S. Lewin (Univ. Hospitals of Cleveland, USA), Hasan Mukhtar (Case Western Reserve Univ., USA) ----- | 110 |

| | |
|--|-----|
| Inhibition of photocarcinogenesis biomarkers by green tea polyphenol, (-)- epigallocatechin-3-gallate in human skin. | |
| Santosh K. Katiyar (Univ. of Alabama at Birmingham, USA) ----- | 114 |
| Synergistic effects of (-)-epigallocatechin gallate with sulindac against colon carcinogenesis of rats treated with azoxymethane. | |
| <u>Tomokazu Ohishi</u> (Univ. of Shizuoka, Japan), Yosuke Kishimoto (Tottori Univ., Japan), Yukihiko Hara, Junichi Hasegawa (Tokyo Food Techno Co., Ltd., Japan), Mamoru Isemura (Univ. of Shizuoka, Japan) ----- | 118 |
| Theanine induced inhibition of glutamate transporter enhances the activity of an antitumor agent. | |
| <u>Yasuyuki Sadzuka</u> , Tomomi Sugiyama, Takashi Sonobe (Univ. of Shizuoka, Japan) ----- | 122 |
| Synergy of epigallocatechin-3-gallate and isoflavone genistein in inhibition of human prostate cancer cells | |
| <u>Kazuko Sakamoto</u> , Sanjay Gupta (Case Western Reserve Univ., USA), Yukihiko Hara (Tokyo Food Techno Co., Ltd., Japan), Hasan Mukhtar (Case Western Reserve Univ., USA) - | 126 |
| Anti-angiogenic effect of EGCG through inhibition of matrix metalloproteinases. | |
| <u>Naoto Oku</u> , Satoru Yamakawa (Univ. of Shizuoka, Japan), Motomi Matsukawa, Toshifumi Akizawa (Setsunan Univ., Japan) ----- | 130 |
| EGCG derivatives of tea inhibit protein kinases activities in mast cells and matrix metalloproteinases activities in highly metastatic cells. | |
| <u>Mari Maeda-Yamamoto</u> (National Institute of Vegetable and Tea Science, Japan), Mitsuaki Sano, Toshio Miyase (Univ. of Shizuoka, Japan), Hirofumi Tachibana (Kyushu Univ., Japan), Mamoru Isemura (Univ. of Shizuoka, Japan), Katsuhiro Hakamata (National Institute of Vegetable and Tea Science, Japan), Yuko Kawakami, Toshiaki Kawakami (La Jolla Institute for Allergy and Immunology, USA) ----- | 134 |
| Tea catechins as potent and selective inhibitors of cholesterol biosynthesis. | |
| <u>Ikuro Abe</u> , Takahiro Seki, Yasuhiko Kashiwagi, Hiroshi Noguchi (Univ. of Shizuoka, Japan) ----- | 136 |
| Preventive effects of tea catechins and the derivatives on mouse type-IV allergy. | |
| <u>Kyoji Yoshino</u> , Tomoaki Yoneyama (Numazu College of Technology, Japan), Mitsuaki Sano, Toshio Miyase, Yoshiyuki Nakamura (Univ. of Shizuoka, Japan), Mari Maeda- Yamamoto (National Institute of Vegetable and Tea Science, Japan) ----- | 140 |
| Synthesis and characterization of lipophilic catechins. | |
| <u>Keiko Saito</u> , Guangzhi Jin, Hisashi Yoshioka (Univ. of Shizuoka, Japan) ----- | 144 |
| Mechanism of the potent synergy between tea catechin and β-lactams against methicillin-resistant <i>Staphylococcus Aureus</i>. | |
| <u>Wei-Hua Zhao</u> , Zhi-Qing Hu (Showa Univ. School of Medicine, Japan), Yukihiko Hara (Tokyo Food Techno Co., Ltd., Japan), Tadakatsu Shimamura (Showa Univ. School of Medicine, Japan) ----- | 148 |
| Beneficial effects of green tea catechins on alveolar macrophages infected with pneumonia causing bacteria. | |
| <u>Kazuto Matsunaga</u> , Thomas W. Klein, Herman Friedman, Yoshimasa Yamamoto (Univ. of South Florida college of Medicine, USA) ----- | 151 |

| | |
|---|-----|
| Characterization and bioavailability of Vitamin B₉ compound from a Japanese piled-black tea, Batabata-Cha. | |
| <u>Hiromi Kittaka-Katsura</u> (Hiroshima Pref. Women's Univ., Japan), Shuhei Ebara (Osaka Pref. Univ., Japan), Fumio Watanabe (Kochi Women's Univ., Japan), Yoshihisa Nakano (Osaka Pref. Univ., Japan) ----- | 155 |
| Inhibitory effects of <i>O</i>-methylated catechin derivatives on mouse type-I allergy. | |
| <u>Mitsuaki Sano</u> , Masazumi Suzuki, Toshio Miyase, Yoshiyuki Nakamura, (Univ. of Shizuoka, Japan) Kyoji Yoshino (Numazu College of Technology, Japan) Hirofumi Tachibana (Kyushu Univ., Japan), Mari Maeda-Yamamoto (National Institute of Vegetable and Tea Science, Japan)----- | 159 |
| Actions of green tea components on intestinal functions. | |
| <u>Tomoo Homma</u> , Keiji Hirai (Tokyo Medical and Dental Univ., Japan), Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan), Yoshifumi Katayama (Tokyo Medical and Dental Univ., Japan)----- | 163 |
| Anti-lipogenic and lipolytic effect of powdered green tea. | |
| <u>Noboru Hasegawa</u> , Norihiro Yamada, Midori Mori, Yoshikuni Takagi, Noriko Sakakibara, Yukiko Toyama, Miyako Mochizuki, (Nagoya Bunri College, Japan) ----- | 167 |
| Effect of green tea catechins on learning and memory in senescence-accelerated mice. | |
| <u>Keiko Unno</u> , Fumiyo Takabayashi, Naoto Oku (Univ. of Shizuoka, Japan) ----- | 170 |
| Functionality of the extract from the anthocyanin-containing tea, Benibana-Cha. | |
| <u>Norihiko Terahara</u> (Minami-Kyushu Univ., Japan), Yoshiyuki Takeda, Atsushi Nesumi (National Institute of Vegetable and Tea Science, Japan) ----- | 173 |
| Collagen gel contraction by fibroblasts is inhibited by (-)-epigallocatechin gallate . | |
| <u>Yasuo Suzuki</u> , Mamoru Isemura (Univ. of Shizuoka, Japan) ----- | 177 |
| Effects of tea catechins on the estrogen-regulated estrogenic activity assessed by GFP expression system. | |
| <u>Ryoko Kuruto-Niwa</u> , Ryushi Nozawa (Univ. of Shizuoka, Japan) ----- | 181 |
| L-Theanine - A unique amino acid of green tea and its physiological effects in humans. | |
| <u>Tsutomu Okubo</u> , Tomoko Ueda, Makoto Ozeki, Lekh R. Juneja (Taiyo Kagaku Co., Ltd., Japan) Hidehiko Yokogoshi (Univ. of Shizuoka, Japan), Seiichi Matsumoto (Japan Family Planning Association, Japan) ----- | 184 |
| Degranulation inhibition of human basophilic KU812 cells by green tea catechins and their cell surface binding. | |
| <u>Yuko Kiyohara</u> , Hirofumi Tachibana, Koji Yamada (Kyushu Univ., Japan)----- | 188 |
| Suppressive effect of catechin derivatives on the expression of the high affinity IgE receptor Fc ϵ RI in human basophilic KU812 cells. | |
| <u>Yoshinori Fujimura</u> , Hirofumi Tachibana, Koji Yamada (Kyushu Univ., Japan)----- | 192 |
| Effects of tea catechins on the Fe(II)-induced DNA scission. | |
| <u>Yasunori Ohashi</u> , Mariko Konishi, Hiroe Yoshioka (Shizuoka Univ., Japan), Hisashi Yoshioka (Univ. of Shizuoka, Japan) ----- | 196 |

| | |
|--|-----|
| The application of green tea to polymer materials: Antibacterial and deodorant effects. | |
| Shin-ichi Inoue, <u>Yoko Takimoto</u> (Aichi Institute of Technology, Japan), Takami Yoshida, Hiroki Miyamatsu (HERBE Co., Ltd., Japan), Hiroshi Okamoto (Aichi Institute of Technology, Japan)----- | 200 |
| Chemical factors in biological functions of catechins (1) Affinity for lipid bilayers. | |
| <u>Katsuko Kajiya</u> , Shigenori Kumazawa, Tsutomu Nakayama (Univ. of Shizuoka, Japan)---- | 204 |
| Efficient synthesis of medicinally interesting compounds utilizing <i>Camellia sinensis</i> cell culture. | |
| <u>Masumi Takemoto</u> , Koichi Kato, Yoko Hongo, Yuki Matsuoka, Ayako Fukuyo, Kiyoshi Tanaka (Univ. of Shizuoka, Japan), Youichi Aoshima (Shizuoka Agricultural Experiment Station, Japan) ----- | 208 |
| Enhanced effect of green tea catechin on a medical treatment of gastric ulcer caused by <i>Helicobacter pylori</i>. | |
| <u>Fumiyo Takabayashi</u> , Noboru Harada (Univ. of Shizuoka, Japan), Masami Yamada, Binzaburo Murohisa (Hamamatsu Medical Center, Japan), Itaro Oguni (Univ. of Shizuoka, Japan) ----- | 212 |
| Flavor compounds responsible for antimutagenicity of tea infusion. | |
| <u>Akihiro Ohara</u> , YuanJing Fan, Tsugio Matsuhisa (Meijo Univ., Japan) ----- | 214 |
| The effect of drinking green tea on diabetic nephropathy. | |
| <u>Yasuko Takano</u> , Masashi Honda, Yuki Yoshihara, Mizue Mogi (Shiseikai Daini Hospital, Japan), Kohsuke Hayamizu, Tomoko Tsuzi, Manzen Shin (FANCL Corporation, Japan), Toshiko Takemiya (Tokyo Women's Medical Univ., Japan) ----- | 218 |
| A study on the effects of green tea intake on blood glucose in Shizuoka, Japan. | |
| <u>Yoko Fukino</u> (Univ. of Shizuoka, Japan), Nobuo Aoki (Hamamatsu Univ. School of Medicine, Japan), Tokiko Takeshita, Yoshinori Tojo (Univ. of Shizuoka, Japan), Tsutomu Okubo (Taiyo Kagaku Co., Ltd., Japan) ----- | 222 |
| Intake of green tea of a diabetic. | |
| <u>Yuki Yoshihara</u> , Masashi Honda, Yasuko Takano, Mizue Mogi (Shiseikai Daini Hospital, Japan), Kohsuke Hayamizu, Tomoko Tsuzi, Manzen Shin (FANCL Corporation, Japan), Toshiko Takemiya (Tokyo Women's Medical Univ., Japan) ----- | 226 |
| Effects of functional ingredients of O-CHA on gastric mucosal inflammatory response against <i>Helicobacter pylori</i>. | |
| <u>Osamu Handa</u> , Yuji Naito, Tomohisa Takagi, Takeshi Ishikawa, Naoyuki Matsumoto, Kyoichi Kasai, Norimasa Yoshida, Toshikazu Yoshikawa (Kyoto Pref. Univ. of Medicine, Japan) ----- | 230 |
| Strictinin inhibits interleukin 4-induced STAT6 activation and antigen-specific IgE production. | |
| <u>Hirofumi Tachibana</u> , Takao Kubo (Kyushu Univ., Japan), Toshio Miyase (Univ. of Shizuoka, Japan), Sousuke Tanino, Miki Yoshimoto, Kayo Nakao, Kazuko Nakamura (Kyushu Univ., Japan), Mitsuaki Sano (Univ. of Shizuoka, Japan), Mari Maeda-Yamamoto (National Institute of Vegetable and Tea Science, Japan), Koji Yamada (Kyushu Univ., Japan) ----- | 234 |
| Ameliorated effect of theanine on premenstrual syndrome (PMS) in volunteers. | |
| <u>Takehiko Terashima</u> , Hidehiko Yokogoshi (Univ. of Shizuoka) ----- | 238 |

| | |
|--|-----|
| A clinical study of tea catechin inhalation effects on methicilline resistant <i>Staphylococcus aureus</i> (MRSA). | |
| <u>Hiroshi Yamada</u> , Hirofumi Okabe, Takako Shimizu, Tetsushi Atsumi, Rieko Murata, Noriyo Ozawa (Seirei Hamamatsu General Hospital, Japan), Shinichiro Nishio, Kazuhiro Kosuge, Hiroshi Watanabe, Kyoichi Ohashi (Hamamatsu Univ. School of Medicine, Japan), Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan) ----- | 241 |
| Antidiabetic effect of green tea and mechanism of its hypoglycemic action. | |
| Purusotam Basnet (Toyama Medical & Pharmaceutical Univ., Japan, Pokhara Univ., Nepal), Katsuko Komatsu, <u>Mineo Shimizu</u> (Toyama Medical & Pharmaceutical Univ., Japan) ----- | 243 |
| Synergic, addictive, indifferent and antagonistic effects in combinations of tea catechin and 20 antibiotics against MRSA. | |
| <u>Zhi-Qing Hu</u> , Wei-Hua Zhao (Showa Univ. School of Medicine, Japan), Yukihiro Hara (Tokyo Food Techno Co., Ltd., Japan), Tadakatsu Shimamura (Showa Univ. School of Medicine, Japan)----- | 247 |
| Effect of dietary green tea by-product on productive and composition of EGGS in laying hens. | |
| <u>Chul-Ju Yang</u> , Ill-Sup Nou, Dong-Hwan Oh, Young-Chul Joung, D. Uganbayar (Sunchon National Univ., Korea) ----- | 250 |
| Effects of dietary green tea by-product on productivity and body composition in broiler. | |
| <u>Chul-Ju Yang</u> , (Sunchon National Univ., Korea), Young-Moo Cho (National Livestock Researcher Institute, Korea), Eun-Choung Lim, Il-Young Yang (Sunchon National Univ., Korea) ----- | 253 |
| Moderate green tea Intake may increase CD4/CD8 ratio in elderly women. | |
| <u>Hirohito Tsuboi</u> (Aichi Medical Univ., Japan), Osamu Fukino, Hiroichi Takeuchi (Shizuoka Health Institute, Japan), Fumio Kobayashi (Aichi Medical Univ., Japan) ----- | 257 |
| Antimicrobial activity of Japanese green tea; present position and future prospects. | |
| <u>Jeremy Hamilton-Miller</u> , Peter Taylor (Univ. of London, U.K.) ----- | 261 |
| Drinking tea suppresses the transformation of aryl hydrocarbon receptor induced by dioxin. | |
| <u>Itsuko Fukuda</u> , Yoshiyuki Yabushita (Kobe Univ., Japan), Iwao Sakane, Takami Kakuda (ITO-EN Ltd., Japan), Kazuki Kanazawa, Gen-ichi Danno, Hitoshi Ashida (Kobe Univ., Japan)----- | 264 |
| Suppressive effect of green tea administration on DNA methylation. | |
| <u>Hidetaka Yamada</u> , Toshiyuki Suzuki, Takuro Yamakawa, Hitoshi Inayoshi (Shizuoka Institute of Science and Technology, Japan), Kenichi Sunayama, Satoshi Nakamura (Hamamatsu Univ. School of Medicine, Japan), Yoshiyuki Nakamura (Univ. of Shizuoka, Japan), Toshihiro Tsuneyoshi (Shizuoka Institute of Science and Technology, Japan) ----- | 268 |
| Neuroprotective effects of theanine on ischemic delayed neuronal death. | |
| Takami Kakuda (ITO-EN Ltd., Japan)----- | 272 |
| The effect of tea derived epigallocatechin on mouse intestinal motility <i>in vitro</i>. | |
| Michal Ceregrzyn, <u>Mitsuhide Ogawa</u> , Atsukazu Kuwahara (Univ. of Shizuoka)----- | 276 |
| How do polyphenols scavenge the OH radical? – A study by the rapid – flow ESR method –. | |
| <u>Yasushi Senba</u> , Kieko Saito (Univ. of Shizuoka, Japan), Yasunori Ohashi, Hiroe Yoshioka (Shizuoka Univ., Japan), Hisashi Yoshioka (Univ. of Shizuoka, Japan) ----- | 280 |

| | |
|--|-----|
| On-line screening method for anti-oxidants by liquid chromatography with chemiluminescence detection. | |
| <u>Toshimasa Toyo'oka</u> , Tomoaki Kashiwazaki, Masaru Kato (Univ. of Shizuoka, Japan) ----- | 284 |
| Supplementation with green tea catechins protects large intestinal mucosa against lipid peroxidation in rats. | |
| <u>Masako Yamamoto</u> , Tatsuya Kamizuru, Tomoka Kondo, Yoshiko Nakabayashi (Tokushima Bunri Univ., Japan), Sayuri Miyamoto, Jae-Hak Moon, Junji Terao (The Univ. of Tokushima, Japan) ----- | 287 |
| Studies about monoamine oxidase inhibitory activities on Korean Green Tea. | |
| <u>Keum Hee Hwang</u> , Sang-Hee Byun, Sun-Hee Lim (STC NARA Co., Korea) ----- | 291 |
| Factors affecting the rate constants of radical scavenging by antioxidants. | |
| <u>Mariko Konishi</u> , Yasunori Ohashi (Shizuoka Univ., Japan), Yasushi Senba, Hisashi Yoshioka (Univ. of Shizuoka, Japan), Hiroe Yoshioka (Shizuoka Univ., Japan) ----- | 295 |
| Measurement of OH radical-scavenging activity of tea catechins using gamma-irradiation. | |
| <u>Hiroe Yoshioka</u> , Yasunori Ohashi, Mariko Konishi, Mikio Kawasaki (Shizuoka Univ., Japan), Hirotomo Hase (Kyoto Univ., Japan), Yasushi Senba, Hisashi Yoshioka (Univ. of Shizuoka, Japan) ----- | 299 |
| Lipid peroxyl radical-scavenging activity of beverages, especially of tea, <i>in vitro</i>. | |
| <u>Ayako Kanazawa</u> , Mayumi Kai, Yuki Sadohara, Ikumi Saito, Akiko Tanoue (Kumamoto Univ., Japan), Tomohiro Sawa, Takaaki Akaike, Hiroshi Maeda (Kumamoto Univ. Medical School, Japan) ----- | 303 |
| Chemical factors in biological functions of catechins (2) Formation of hydrogen peroxide. | |
| <u>Tsutomu Nakayama</u> , Megumi Ichiba, Miho Kuwabara, Shigenori Kumazawa (Univ. of Shizuoka, Japan) ----- | 307 |
| Monoamine oxidase inhibitory activity of green tea produced in China, its processing and provincial differences. | |
| <u>Ha-Sook Chung</u> (Duksung Women's Univ., Korea), Keum-Hee Hwang, Sang-Hee Byun, Sun-Hee Lim (STC NARA Co., Korea) ----- | 311 |
| Some antioxidative component contents in Sencha of popular prices and its fresh infusions. | |
| <u>Fukiko Sakamura</u> (Hiroshima Chuo Women's Jr. College, Japan) ----- | 314 |
| Protective action of green tea extract against reperfusion injury in rats and its anti-oxidative and anti-inflammtory properties. | |
| <u>Nobuaki Yagi</u> (Kyoto First Red Cross Hospital, Kyoto Pref. Univ. of Medicine, Japan), Yuji Naito, Kiichi Matsuyama, Yukiko Tanaka, Norimasa Yoshida, Toshikazu Yoshikawa (Kyoto Pref. Univ. of Medicine, Japan), Jun Ochiai, Sotaro Fujimoto (Kyoto First Red Cross Hospital, Japan) ----- | 321 |
| Laboratory studies on cancer chemoprevention by tea pigments. | |
| Chi Han (Chinese Academy of Preventive Medicine, P.R.China) ----- | 325 |
| Apoptosis-inducing activity of the enzyme digestion product of green tea residue. | |
| Yuko Katsuno (Tauns Laboratories, Inc., Japan), Mamoru Isemura (Univ. of Shizuoka, Japan) ----- | 329 |

| | |
|--|-----|
| Inhibition of 7,12-dimethylbenz[a]anthracene (DMBA) – induced oral carcinogenesis in hamsters by tea and curcumin. | |
| <u>Ning Li</u> (Rutgers Univ., USA, Chinese Academy of Preventive Medicine, P.R.China), Xiaoxin Chen, Jie Liao, Guangyu Yang, Su Wang, Youssef Josephson (Rutgers Univ., USA), Chi Han, Junshi Chen (Chinese Academy of Preventive Medicine, P.R.China), Mou-Toan Huang, Chung S. Yang (Rutgers Univ., USA) ----- | 333 |
| Studies of apoptotic signaling pathway in human cancer cells by (-)EGCG of green tea. | |
| Won-Hun Jeong (Wonkwang Health Science College, Korea), Rae-Kil Park, <u>Mee-Kyung Shin</u> (Wonkwang Univ., Korea) ----- | 338 |
| The radiation protection and the anti-cancer effects of extracted from the Miroku tea for healthy food. | |
| <u>Chiho Yagi</u> , Yuko Masuda, Kazue Ogura, Ikukatu Suzuki (Suzuka Univ. of Medical Science, Japan), Takeo Hasegawa, Yasuhiro Kosaka (Kosaka Tea Industry, Japan) ----- | 342 |
| A new anticarcinogenic ingredient, tea aqueous non-dialysates (TNDs) come from tea leaves. | |
| <u>Yoshiyuki Nakamura</u> (Univ. of Shizuoka, Japan), Masanori Kuroyanagi (Hiroshima Pref. Univ., Japan), Tadataka Noro, Mitsuaki Sano (Univ. of Shizuoka, Japan) Kyoji Yoshino (Numazu College of Technology, Japan) ----- | 346 |
| Suppressive effect of green tea components on cell expression of ICAM-1 induced by TNF-α in human umbilical vein endothelial cells. | |
| <u>Kayoko Shimoi</u> , Hitomi Takemura, Kazuhiko Kaji, Shigenori Kumazawa, Tsutomu Nakayama (Univ. of Shizuoka, Japan) ----- | 350 |
| Studies on growth inhibition of human stomach cancer cells by treatment with tea catechins. | |
| Naomi Hirabayashi, Tomoko Saito, Hiroko Taguchi, Yoshie Takahashi, Nobuyuki Horie, <u>Keiichi Takeishi</u> (Univ. of Shizuoka, Japan) ----- | 353 |
| Apoptosis induction by epigallocatechin gallate involves its binding to Fas. | |
| <u>Sumio Hayakawa</u> (Univ. of Shizuoka, Japan), Koichi Saeki (International Medical Center of Japan, Japan), Masaki Sazuka, Yasuo Suzuki, Yutaka Shoji, Yoshiyuki Nakamura (Univ. of Shizuoka, Japan), Akira You (International Medical Center of Japan, Japan), Mamoru Isemura (Univ. of Shizuoka, Japan) ----- | 357 |
| The conditions of pulverizing O-CHA leaves affect the growth inhibition of tumor cells. | |
| Yasuhisa Naito (Hamamatsu Univ. School of Medicine), Fumio Osakabe (Nihon Ceratec Co., Japan), Megumu Miyamoto, Yukio Koide, <u>Reiji Aoshima</u> (Hamamatsu Univ. School of Medicine, Japan) ----- | 361 |
| Anti-hyperglycemic extracts of fresh young leaves of tea in streptozotocin-and KK-A' -Diabetic mice. | |
| Yoshitaka Sugihara, Hiroshi Tsuneki (Toyama Medical and Pharmaceutical Univ., Japan), Jin-Bin Wu, Hui-Ya Ho (China Medical College, P.R.China), Masayuki Kimura, <u>Ikuko Kimura</u> (Toyama Medical and Pharmaceutical Univ., Japan) ----- | 367 |
| Beneficial effects of green and black tea on animal models of atherosclerosis and diabetes. | |
| <u>Joe A. Vinson</u> , Nancy Wu, Karolyn Teufel, Jennifer Zhang (Univ. of Scranton , USA)--- | 367 |
| The sources of malodor removal activity in various teas. | |
| <u>Shan-Shan Wu</u> , Lucy Sun Hwang, (National Taiwan Univ. , Taiwan) ----- | 368 |

(-)-Epigallocatechin gallate and polyphenon-E, a mixture of green tea catechins, inhibit angiogenesis induced by mouse sarcoma S180 cells.

Kazuhiko Kaji, Koichi Igura, Toshiro Ohta (Univ. of Shizuoka, Japan), Yukihiro Hara
(Tokyo Food Techno Co., Ltd., Japan) ----- 368

Green tea may improve the glucose tolerance in Sprague-Dawley rats.

Lucy Sun Hwang, Liang-Yi Wu (National Taiwan Univ., Taiwan), Chi-Chang Juan, Low-Tone Ho (VGH-TPE , Taiwan) ----- 369

Green tea may improve insulin resistance in a fructose-fed rat model.

Liang-Yi Wu (National Taiwan Univ., Taiwan), Chi-Chang Juan, Low-Tone Ho (VGH-TPE, Taiwan), Lucy Sun Hwang (National Taiwan Univ., Taiwan) ----- 369

Session IV. MARKETING AND INDUSTRY

The present condition Shizuoka Tea business and problem from circulation.

流通から見た静岡茶業の現状と課題

Kisaburo Warashina (Shizuoka Tea Auction Co., Ltd., Japan) ----- 1

藁科喜三郎 (株式会社 静岡茶市場)

Problem and prospects of Shizuoka Tea business.

静岡県茶業の課題と展望

Susumu Fujimori (Society of Tea Science, Japan) ----- 3

藤森 進 (茶学術研究会)

The prospect of green tea beverage market.

緑茶飲料の開発と将来

Yasuo Mori (ITOEN Ltd., Japan) ----- 5

森 泰男 ((株) 伊藤園)

Tea, Health, and Cooking.

Mutsuko Tokunaga (Food Director, Japan) ----- 14

Suggestion for Japanese tea business on the basis of experiences.

茶業の実体験を踏まえた今後の日本茶業への提言

Tetsuya Oishi (Japan Tea Commerce & Industry Cooperative Association, Japan) ----- 17

大石哲也 (全国茶商工業協同組合連合会)

The management and administrative reorganization plan and outlook for the cooperative tea processors association.

Shoji Sawamura (Shizuoka Tea Experiment Station, Japan) ----- 20

The lack of the understanding of the consumers' needs and the concept development.

Yutaka Koizumi (Shizuoka Tea Experiment Station, Japan) ----- 24

The development of machinery system to support speciality shops of green tea.

Kazuo Sono (SAM Factory Cooperative Association, Japan) ----- 27

The establishment of cooperative association to support speciality shops of green tea.

Masahiko Kanoh (SAM Factory Cooperative Association, Japan) ----- 30

The use and culture of tea in Korea.

Sung Hee Choi (Dongeui Univ., Korea), Young Gul Kim (Jang Won Ind., Korea), Keun-Hyung Park, (Chonnam National Univ., Korea) ----- 34

Characterization of flavor of tea made from some temples tea in Korea.

Sung Hee Choi (Dongeui Univ., Korea) ----- 37

Organic tea production in China.

Chen Zongmao (Tea Research Institute, CAAS, P.R.China) ----- 41

The production and consumption of tea in China.

Lin Zhi (Tea Research Institute, CAAS, P.R.China) ----- 45

The present and future of the Chinese tea market.

Wang Ya-lei (Chinese Tea Association of Japan, P.R.China) ----- 49

Taiwan teas & the relationship with Japan.

Jackson Huang (Sha Keng Tea Manufactory, Taiwan) ----- 53

| | |
|--|-----|
| Time for tea--U.S. specialty tea trends. | |
| Thomas Shu (ABC Tea House, USA) ----- | 55 |
| The marketing channels of tea in Taiwan. | |
| <u>Wan-Tran Huang</u> (National Chung Hsing Univ., Taiwan), <u>Wu-Cheng Liao</u> (Ling Tung College, Taiwan) ----- | 59 |
| The present and future of the tea industry of Turkey. | |
| <u>Ender Sinan Poyrazoglu</u> , <u>Nevzat Artik</u> (Univ. of Ankara, Turkey) ----- | 63 |
| Features of tea (<i>Camellia sinensis</i> L.) production in Nigeria. | |
| Charles R. Obatolu, <u>Ayoola B. Fasina</u> (Cocoa Research Institute of Nigeria, Nigeria) ----- | 67 |
| Microbiological circumstances of crude tea and its plant. | |
| <u>Shin-ichi Sawamura</u> , <u>Eri Ito</u> , <u>Ichiro Kato</u> (ITOEN Ltd., Japan) ----- | 71 |
| The development of the film food of green tea. | |
| <u>Iemasa Takahashi</u> (Shizuoka Tea Experiment Station, Japan) ----- | 75 |
| Near infrared analysis for determination of γ-Aminobutylic Acid in Gabaron Tea. | |
| <u>Reiji Sekiguchi</u> , <u>Takashi Shibuya</u> , <u>Ikue Takeoka</u> , <u>Noriko Saito</u> (Japan Food Research Lab., Japan), <u>Masashi Omori</u> (Otsuma Women's Univ., Japan) ----- | 79 |
| Effects of Gabaron tea components on angiotensin I-converting enzyme activity in rat. | |
| <u>Lin Zhi</u> (Tea Research Institute, CAAS, P.R.China), <u>Masashi Omori</u> (Otsuma Women's Univ., Japan) ----- | 81 |
| A simulation for predicting the concentration of hot water extracts from green tea leaves: Batchwise and continuous extraction. | |
| <u>Kenkou Tsuji</u> , <u>Mari Maeda-Yamamoto</u> (National Institute of Vegetable and Tea Science, Japan) ----- | 85 |
| Concentration of tea-extracts with membrane evaporators. | |
| <u>Kaori Mizutani</u> , <u>Susumu Nii</u> , <u>Katuroku Takahashi</u> (Nagoya Univ., Japan) ----- | 89 |
| Interrelation between the tannin value and phenolic components in green tea. | |
| 緑茶中のフェノール性化合物とタンニン量測定値の相関について | |
| <u>Masayuki Suzuki</u> (Tokyo Food Techno Co., Ltd., Japan), <u>Kayo Hijikata</u> , <u>Jun Katsuyama</u> (Mitsui Norin Co., Ltd., Japan), <u>Fumio Nanjo</u> (Tokyo Food Techno Co., Ltd., Japan) ----- | 93 |
| <u>鈴木壮幸</u> (東京フードテクノ(株))、 <u>土方佳代</u> 、 <u>勝山順</u> (三井農林(株))、 <u>南条文雄</u> (東京フードテクノ(株)) | |
| Retardation of Kimchi fermentation and growth inhibition of related microorganisms by tea catechins. | |
| <u>Ji-Hyang Wee</u> , <u>Keun-Hyung Park</u> (Chonnam National Univ., Korea) ----- | 97 |
| Comparison of volatiles components on the teas by solid phase micro extraction (SPME). | |
| <u>Tomomi Kinoshita</u> (Otsuma Women's Univ., Japan), <u>Tadayoshi Tanaka</u> (Kyoritsu Women's Junior College., Japan), <u>Miyuki Kato</u> (Kagawa Univ., Japan), <u>Masashi Omori</u> (Otsuma Women's Univ., Japan) ----- | 100 |
| The deterioration of tea beverage aroma by heat and sunlight. | |
| <u>Hitoshi Kinugasa</u> , <u>Kazunori Okanoya</u> , <u>Shuuhei Kuribayashi</u> , <u>Tadakazu Takeo</u> (ITO-EN Ltd., Japan) ----- | 104 |

| | |
|--|-----|
| Changes of catechins in green tea drinks during production process. | |
| <u>Shinichi Suematsu</u> (Toyo Junior College of Food Technology, Japan), Yoshihiro Hisanobu, Kazuko Nakano (Toyo Institute of Food Technology Japan) ----- | 106 |
| Oolong tea and beverage. | |
| Yohkichi Matsui (Suntory Ltd., Japan) ----- | 110 |
| Capillary electrophoresis- A new tool for quality evaluation. | |
| <u>Hideki Horie</u> , Tomomi Ujihara, Katsunori Kohata (National Institute of Vegetable and Tea Science, Japan) ----- | 114 |
| Application of near infrared spectroscopy in quality evaluation and analysis of Japanese tea. | |
| Tadashi Goto (Shizuoka Tea Experiment Station, Japan) ----- | 118 |
| Study on estimation of quality of O-CHA products. | |
| <u>Seiji Katayama</u> , Daisuke Kawai, Ryosuke Nishio, Keiko Kimura (Univ. of Shizuoka, Japan) ----- | 122 |
| Top middle last note aroma evaluation of Japanese green tea using electronic nose containing trap-tube. | |
| Jun-ichi Kita, Yoshihiro Aoyama, Hisamitsu Akamaru (Shimazu Corporation, Japan)----- | 126 |
| Quantification and discrimination of taste of green tea using a taste sensor. | |
| <u>Toshiaki Adachi</u> (Kyushu Univ., Japan), Miki Yahiro (Kyushu Jr. College of Kinki Univ., Japan), Hiroko Nagasue, Kiyoshi Toko (Kyushu Univ., Japan) ----- | 130 |
| Taste sensing-system for objective evaluation of taste. | |
| Kobayashi Yoshikazu, <u>Akira Taniguchi</u> , Hidekazu Ikezaki (Anritsu Corporation, Japan) Kiyoshi Toko (Kyushu Univ., Japan)----- | 134 |
| Green tea in the Gift Market. | |
| Kenji Usui (Fuji Keizai Co., Ltd., Japan) ----- | 138 |
| Consumer behavior in purchasing green tea and sales management. | |
| Toshiyuki Taguchi (Shizuoka Sangyo Univ., Japan)----- | 138 |
| Tea research and development in Sri Lanka. | |
| Wester Modder (The Tea Research Institute of Sri Lanka, Sri Lanka) ----- | 139 |
| Marketing, industry and appearance of Gabaron tea. | |
| Seiichiro Hagiri (Hagiri Co., Ltd., Japan)----- | 139 |